

## DOCUMENT INFO

DOCUMENT ID:	125853492	OPERATOR:	haspuser
REPORT DATE:	18.08.2018 16:30:58 (+0000)	REMARKS:	
SOFTWARE VERSION:	3.10.4-RC4		

## SYSTEM HARDWARE INFORMATION

MANUFACTURER:	Dell Inc.	SERIAL NUMBER:	F983NW1
CHASSIS TYPE:	Rack Mount Chassis	MOTHERBOARD:	Dell Inc.; 0KCKR5
MODEL:	PowerEdge R620	SYSTEM IDENTIFICATION(UUID):	4C4C4544-0039-3810-8033-C6C04F4E5731

BIOS:	Dell Inc.; Version: 2.7.0; Release date: 05/23/2018
PROCESSOR 1:	Intel; Family: Xeon; Version: Intel(R) Xeon(R) CPU E5-2667 v2 @ 3.30GHz; Frequency: 3300MHZ
MEMORY SLOT 1:	00CE00B300CE; 16384 MB; 1600 MHz; DIMM; DDR3 - Synchronous Registered (Buffered)
MEMORY INFO:	Total memory: 16 GB; Number of memory slot: 24
GRAPHICS CARD:	Matrox Electronics Systems Ltd. G200eR2
SOUND CARD:	Not present
NETWORK ADAPTER 1:	Intel Corporation I350 Gigabit Network Connection; EC:F4:BB:D8:4D:78
NETWORK ADAPTER 2:	Intel Corporation I350 Gigabit Network Connection; EC:F4:BB:D8:4D:79
NETWORK ADAPTER 3:	Intel Corporation I350 Gigabit Network Connection; EC:F4:BB:D8:4D:7A
NETWORK ADAPTER 4:	Intel Corporation I350 Gigabit Network Connection; EC:F4:BB:D8:4D:7B
OPTICAL DRIVE:	HL-DT-ST; Model: DVD-ROM DU60N; Revision: D301
STORAGE CONTROLLER 1:	Intel Corporation C600/X79 series chipset 6-Port SATA AHCI Controller
STORAGE CONTROLLER 2:	LSI Logic / Symbios Logic SAS1068E PCI-Express Fusion-MPT SAS
STORAGE DEVICE 1:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 2:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 3:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 4:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 5:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 6:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 7:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 8:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 9:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 10:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 11:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 12:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 13:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 14:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 15:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 16:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 17:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 18:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 19:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 20:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 21:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 22:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 23:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 24:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 25:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 26:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 27:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 28:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0

We hereby certify that on the above mentioned data storage drives have been successfully completed a certified software erasure procedure and the entire data storage capacity of each device has been securely erased. For audit purposes, a digitally signed certificate containing detailed info about the erasure process has been stored into our database.

DATE: \_\_\_\_\_ NAME: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_

# CERTIFIED DATA ERASURE REPORT



STORAGE DEVICE 29:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 30:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,911GB/3674210304 sectors; SCSI; SAS; Sector-size:520; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 31:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,921GB/3751804928 sectors; SCSI; SAS; Sector-size:512; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 32:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,921GB/3751804928 sectors; SCSI; SAS; Sector-size:512; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 33:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,921GB/3751804928 sectors; SCSI; SAS; Sector-size:512; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 34:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,921GB/3751804928 sectors; SCSI; SAS; Sector-size:512; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 35:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,921GB/3751804928 sectors; SCSI; SAS; Sector-size:512; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 36:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,921GB/3751804928 sectors; SCSI; SAS; Sector-size:512; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 37:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,921GB/3751804928 sectors; SCSI; SAS; Sector-size:512; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 38:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,921GB/3751804928 sectors; SCSI; SAS; Sector-size:512; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 39:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,921GB/3751804928 sectors; SCSI; SAS; Sector-size:512; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 40:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,921GB/3751804928 sectors; SCSI; SAS; Sector-size:512; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 41:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,921GB/3751804928 sectors; SCSI; SAS; Sector-size:512; HPA:Not supported; DCO:Not supported; Remapped sectors:0
STORAGE DEVICE 42:	SAMSUNG PA33N1T9; PA33N1T9 EMC1920; 1,921GB/3751804928 sectors; SCSI; SAS; Sector-size:512; HPA:Not supported; DCO:Not supported; Remapped sectors:0
PERIPHERAL PORTS:	USB: 5; Video: 2; Serial: 1
BATTERY:	Not present

## STORAGE DEVICE: 1

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	18.08.2018 16:30:58 (+0000)
SERIAL NUMBER:	9VNX0K402641	DURATION:	00:47:59
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

## STORAGE DEVICE: 2

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	18.08.2018 15:46:17 (+0000)
SERIAL NUMBER:	9TNX0K302845	DURATION:	00:03:18
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

We hereby certify that on the above mentioned data storage drives have been successfully completed a certified software erasure procedure and the entire data storage capacity of each device has been securely erased. For audit purposes, a digitally signed certificate containing detailed info about the erasure process has been stored into our database.

DATE: \_\_\_\_\_ NAME: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_

**STORAGE DEVICE: 3**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	18.08.2018 15:40:13 (+0000)
SERIAL NUMBER:	9TNX0K302876	DURATION:	23:57:14
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 4**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	18.08.2018 15:31:46 (+0000)
SERIAL NUMBER:	9VNX0K403671	DURATION:	23:48:47
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 5**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	18.08.2018 15:04:46 (+0000)
SERIAL NUMBER:	9VNX0K403073	DURATION:	23:21:47
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 6**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	18.08.2018 14:17:12 (+0000)
SERIAL NUMBER:	9TNX0K302865	DURATION:	22:34:12
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

We hereby certify that on the above mentioned data storage drives have been successfully completed a certified software erasure procedure and the entire data storage capacity of each device has been securely erased. For audit purposes, a digitally signed certificate containing detailed info about the erasure process has been stored into our database.

DATE: \_\_\_\_\_ NAME: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_

**STORAGE DEVICE: 7**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	18.08.2018 14:15:44 (+0000)
SERIAL NUMBER:	9VNX0K403644	DURATION:	22:32:44
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 8**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	18.08.2018 13:53:35 (+0000)
SERIAL NUMBER:	9VNX0K404842	DURATION:	22:10:36
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 9**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	18.08.2018 12:34:46 (+0000)
SERIAL NUMBER:	9TNX0K302833	DURATION:	20:51:47
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 10**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	18.08.2018 12:33:42 (+0000)
SERIAL NUMBER:	9TNX0K302858	DURATION:	20:50:42
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

We hereby certify that on the above mentioned data storage drives have been successfully completed a certified software erasure procedure and the entire data storage capacity of each device has been securely erased. For audit purposes, a digitally signed certificate containing detailed info about the erasure process has been stored into our database.

DATE: \_\_\_\_\_ NAME: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_

**STORAGE DEVICE: 11**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	18.08.2018 12:28:28 (+0000)
SERIAL NUMBER:	9TNX0K302851	DURATION:	20:45:28
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 12**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	18.08.2018 12:21:59 (+0000)
SERIAL NUMBER:	9VNX0K403223	DURATION:	20:39:00
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 13**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	18.08.2018 11:23:59 (+0000)
SERIAL NUMBER:	9VNX0K403374	DURATION:	19:40:59
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 14**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	18.08.2018 11:22:07 (+0000)
SERIAL NUMBER:	9VNX0K402783	DURATION:	19:39:08
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

We hereby certify that on the above mentioned data storage drives have been successfully completed a certified software erasure procedure and the entire data storage capacity of each device has been securely erased. For audit purposes, a digitally signed certificate containing detailed info about the erasure process has been stored into our database.

DATE: \_\_\_\_\_ NAME: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_

**STORAGE DEVICE: 15**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	18.08.2018 11:00:58 (+0000)
SERIAL NUMBER:	9VNX0K402998	DURATION:	19:17:59
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 16**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	18.08.2018 10:18:23 (+0000)
SERIAL NUMBER:	9TNX0K302922	DURATION:	18:35:24
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 17**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	18.08.2018 09:41:48 (+0000)
SERIAL NUMBER:	9VNX0K403405	DURATION:	17:58:49
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 18**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	18.08.2018 09:17:09 (+0000)
SERIAL NUMBER:	9VNX0K402786	DURATION:	17:34:09
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

We hereby certify that on the above mentioned data storage drives have been successfully completed a certified software erasure procedure and the entire data storage capacity of each device has been securely erased. For audit purposes, a digitally signed certificate containing detailed info about the erasure process has been stored into our database.

DATE: \_\_\_\_\_ NAME: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_

**STORAGE DEVICE: 19**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	18.08.2018 07:52:19 (+0000)
SERIAL NUMBER:	9TNX0K302578	DURATION:	16:09:20
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 20**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	18.08.2018 04:22:18 (+0000)
SERIAL NUMBER:	9VNX0K404216	DURATION:	12:39:19
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 21**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	17.08.2018 22:25:11 (+0000)
SERIAL NUMBER:	9TNX0K302906	DURATION:	06:42:12
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 22**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	17.08.2018 21:59:53 (+0000)
SERIAL NUMBER:	9VNX0K402782	DURATION:	06:16:54
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

We hereby certify that on the above mentioned data storage drives have been successfully completed a certified software erasure procedure and the entire data storage capacity of each device has been securely erased. For audit purposes, a digitally signed certificate containing detailed info about the erasure process has been stored into our database.

DATE: \_\_\_\_\_ NAME: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_

**STORAGE DEVICE: 23**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	17.08.2018 19:15:04 (+0000)
SERIAL NUMBER:	9VNX0K403221	DURATION:	03:32:05
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 24**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	17.08.2018 19:00:02 (+0000)
SERIAL NUMBER:	9VNX0K404871	DURATION:	03:17:03
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 25**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	17.08.2018 18:27:13 (+0000)
SERIAL NUMBER:	9TNX0K301902	DURATION:	02:44:14
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 26**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	17.08.2018 18:25:40 (+0000)
SERIAL NUMBER:	9VNX0K404651	DURATION:	02:42:41
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

We hereby certify that on the above mentioned data storage drives have been successfully completed a certified software erasure procedure and the entire data storage capacity of each device has been securely erased. For audit purposes, a digitally signed certificate containing detailed info about the erasure process has been stored into our database.

DATE: \_\_\_\_\_ NAME: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_





**STORAGE DEVICE: 27**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	17.08.2018 18:25:05 (+0000)
SERIAL NUMBER:	9VNX0K402639	DURATION:	02:42:06
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 28**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	17.08.2018 18:20:35 (+0000)
SERIAL NUMBER:	9VNX0K403614	DURATION:	02:37:36
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 29**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	17.08.2018 18:13:42 (+0000)
SERIAL NUMBER:	9TNX0K302864	DURATION:	02:30:43
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 30**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	17.08.2018 18:08:30 (+0000)
SERIAL NUMBER:	9TNX0K301999	DURATION:	02:25:31
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

We hereby certify that on the above mentioned data storage drives have been successfully completed a certified software erasure procedure and the entire data storage capacity of each device has been securely erased. For audit purposes, a digitally signed certificate containing detailed info about the erasure process has been stored into our database.

DATE: \_\_\_\_\_ NAME: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_

**STORAGE DEVICE: 31**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	16.08.2018 19:05:14 (+0000)
SERIAL NUMBER:	9VNX0K402750	DURATION:	03:22:14
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 32**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	16.08.2018 15:44:04 (+0000)
SERIAL NUMBER:	9VNX0K404349	DURATION:	00:01:05
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 33**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	16.08.2018 14:19:02 (+0000)
SERIAL NUMBER:	9TNX0K302488	DURATION:	22:36:03
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 34**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	16.08.2018 13:48:38 (+0000)
SERIAL NUMBER:	9TNX0K302840	DURATION:	22:05:39
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

We hereby certify that on the above mentioned data storage drives have been successfully completed a certified software erasure procedure and the entire data storage capacity of each device has been securely erased. For audit purposes, a digitally signed certificate containing detailed info about the erasure process has been stored into our database.

DATE: \_\_\_\_\_ NAME: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_

**STORAGE DEVICE: 35**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	16.08.2018 13:40:01 (+0000)
SERIAL NUMBER:	9TNX0K301932	DURATION:	21:57:02
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 36**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	16.08.2018 13:35:21 (+0000)
SERIAL NUMBER:	9VNX0K404342	DURATION:	21:52:22
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 37**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	16.08.2018 13:12:58 (+0000)
SERIAL NUMBER:	9VNX0K403322	DURATION:	21:29:59
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 38**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	16.08.2018 12:59:42 (+0000)
SERIAL NUMBER:	9VNX0K403668	DURATION:	21:16:43
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

We hereby certify that on the above mentioned data storage drives have been successfully completed a certified software erasure procedure and the entire data storage capacity of each device has been securely erased. For audit purposes, a digitally signed certificate containing detailed info about the erasure process has been stored into our database.

DATE: \_\_\_\_\_ NAME: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_

**STORAGE DEVICE: 39**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	16.08.2018 12:49:09 (+0000)
SERIAL NUMBER:	9VNX0K402644	DURATION:	21:06:10
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 40**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	14.08.2018 05:04:02 (+0000)
SERIAL NUMBER:	9TNX0K302606	DURATION:	13:21:02
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 41**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	14.08.2018 04:15:05 (+0000)
SERIAL NUMBER:	9TNX0K302596	DURATION:	12:32:06
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

**STORAGE DEVICE: 42**

DEVICE INFORMATION		ERASURE INFORMATION	
VENDOR:	SAMSUNG PA33N1T9	PATTERN:	US DoD 5220.22-M
MODEL:	PA33N1T9 EMC1920	VERIFICATION:	1%
TYPE:	SCSI	START TIME:	13.08.2018 15:42:59 (+0000)
BUS TYPE:	SAS	END TIME:	14.08.2018 02:13:14 (+0000)
SERIAL NUMBER:	9TNX0K302831	DURATION:	10:30:15
SIZE:	1,911 GB	HIDDEN AREAS:	HPA not found, DCO not found
SECTORS:	3674210304	FAILED SECTORS:	0
SECTOR SIZE:	520	SECTORS:	3751804928
REMAPPED SECTORS:	0	REMAPPED SECTORS:	0
HPA:	Not supported	STATUS:	Erased
DCO:	Not supported	SOFTWARE VERSION:	3.10.4-RC4

We hereby certify that on the above mentioned data storage drives have been successfully completed a certified software erasure procedure and the entire data storage capacity of each device has been securely erased. For audit purposes, a digitally signed certificate containing detailed info about the erasure process has been stored into our database.

DATE: \_\_\_\_\_ NAME: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_